

CV9030

ROF



30mm Auto Cannon

4



Conventional Fire

Round	0-200	250-350	400-1100	1150-1800	1850-2250
30mm	15	12	9	6	3

Moving	30mm	0-500	125	550-1000	115	1050-1500	95	1550-2000	75	2050-2250	55	2300-3500	35
Stationary	30mm	0-500	125	550-1000	115	1050-1500	95	1550-2000	75	2050-2250	55	2300-3500	35

CV9030

-5 Hardness

1 CH

Movement

750 M Open

1150 M Road



Defilade	40		70	85	13	40	60	17	10	45	20	10	25	25	10	20		1
Overhead	10		99	90	30	90	80	52	70	70	62	40	55	80	20	31	90	10
Oblique/Side	30	20	99	90	30	90	80	42	70	70	60	40	55	80	20	30	90	10
Front/Rear	50	10	99	90	30	90	80	40	70	65	60	30	55	70	10	23	90	10

CV9040

-5 Hardness

1 CH

Movement

750 M Open

1150 M Road



Defilade	40		70	85	13	40	60	17	10	45	20	10	25	25	10	20		1
Overhead	10		99	90	30	90	80	52	70	70	62	40	55	80	20	31	90	10
Oblique/Side	30	20	99	90	30	90	80	42	70	70	60	40	55	80	20	30	90	10
Front/Rear	50	10	99	90	30	90	80	40	70	65	60	30	55	70	10	23	90	10

CV90105

ROF



105mm Gun

8



Conventional Fire

Round	0-200	250-350	400-1100	1150-1800	1850-2250
HE	20	16	12	8	4
APERS	30	30	30		
.50 Cal	6	4	3	2	

Moving	APDS	0-400	170	450-600	150	650-800	130	850-1500	130	1550-2300	110	2350-3500	90
	HEAT	0-250	160	300-500	160	550-750	160	800-1000	160	1050-1800	150	1850-2750	140
	HEP	0-200	170	250-400	170	450-600	170	650-900	170	950-1400	160	1450-2000	150
Stationary	APDS	0-500	170	550-800	150	850-1000	130	1050-1600	130	1650-2800	110	2850-3900	90
	HEAT	0-500	160	550-800	160	850-1000	160	1050-1600	160	1650-2350	150	2400-2800	140
	HEP	0-250	170	300-500	170	550-750	170	800-1300	170	1350-1700	160	1750-2600	150

CV90105

-5 Hardness

1 CH

Movement

750 M Open

1150 M Road



Defilade	40		70	90	15	40	60	20	10	50	25	10	27	29		11	30		2
Overhead	10		99	90	30	90	80	54	70	70	65	40	57	80	20	31	90	10	10
Oblique/Side	30	20	99	90	30	90	80	44	70	70	60	40	57	80	20	32	90	10	10
Front/Rear	50	10	99	90	30	90	80	40	70	67	60	30	57	70	10	25	90		10